



YANMAR


PRODUCTS GUIDE



MARINE DIESEL ENGINE

Marine Propulsion Power Range [374~4500kW]

Marine Auxiliary Generator Capacity [180~4600kWe]




YANMAR CO., LTD.
Power Solution Business.

1-1-1, Nagasu-Higashidori, Amagasaki, Hyogo, Japan
TEL: +81-6-6489-8069 FAX: +81-6-6489-1082

yanmar.com/global/

A SUSTAINABLE FUTURE




CONTENTS


- 4P > Environmental Performance
- 6P > Marine Propulsion Diesel Engine
- 10P > Marine Auxiliary Diesel Engine
- 14P > Amagasaki Plant
- 15P > History
- 16P > Worldwide Service Network

With respect for nature, YANMAR will be your reliable partner for a long voyage.

We will keep close communication with our customers once we deliver our products, in addition to development and production of our wide range of marine engines. we promote " Life Cycle Value " to our customers for their comfortable and safe voyage over a long period of time. while we pursue many possible ways to achieve low engine costs and to be in harmony with the environment, we strive to provide the best possible solution for our customers.



* Tier II is applied in general waters
ECA = Emission Control Area
IMO = International Maritime Organization
NOx = Nitrogen Oxides
SOx = Sulfur Oxides




We separately adopt the exhaust gas selective catalytic reduction system in compliance with the new environmental regulations, IMO Tier III.

SCR System

■ SCR System : How it works

Urea solution safe to be used is injected into exhaust gas. By this, the generated ammonia reacts with NOx through catalyst, resulting in nontoxic nitrogen and water being discharged into open air.




■ Compact Design : Unified catalyst line and bypass

Dimention

SCR model	Catalytic Reactor [mm]			Exhaust Pipe [mm]		Tier III Engine Model
	H	W	L	DN	LP	
Y155SCR-L	1080	750	2530	250A	2760	6AYLS
Y16SCR-L	1080	750	2230	250A	2560	6NY16LWS
	1080	750	2380	250A	2560	
Y165SCR-L	1140	750	2600	300A	2530	6N165LWS
	1140	750	2750	300A	2530	
Y18SCR-IAL	1140	750	2600	300A	2930	6EY18IALWS
	1140	750	2750	300A	2930	
Y22SCR-IAL	1480	1100	2770	400A	3620	6EY22IALWS
	1480	1100	2920	400A	3620	
Y26SCR-6L	1700	1430	3490	500A	4300	6EY26LWS
Y26SCR-8L	1920	1430	3360	550A	4300	8EY26LWS
	1920	1430	3510	550A	4300	
Y33SCR-6L	2080	1750	3850	650A	5120	6EY33LWS
Y33SCR-8L	2430	1760	3900	750A	6100	8EY33LWS

Feel free to contact for detailed informations on dimensions, etc.



YANMAR EcoDiesel is addressing the stricter IMO Tier II regulation NOx limits with improvements to combustion technologies of engine.

ASSIGN Combustion System

■ Staggered Layout Multi-Hole Nozzle

By staggering the layout and using multiple injection holes, this design achieves sufficient total injection area and improves air utilization.

■ Air Flow Motion

The optimally shaped air intake port generates a suitable swirl (vortex flow) in the combustion chamber as well as a squish in the compression stroke. This promotes fuel / air mixing, improving combustion efficiency.


High Pressure Miller Cycle System

■ Miller Type Cam

By finishing the intake stroke earlier, the intake air expands and temperature in the cylinder decreases, and by reducing air temperature before combustion in the next compression stroke, the NOx emission is reduced.


■ High Pressure Ratio Turbocharger


Increasing the intake pressure by high pressure ratio turbocharger during the short intake stroke ensures the quantity of charged air and fixes the cylinder pressure to restrain the increase of the specific fuel consumption.



MARINE PROPULSION DIESEL ENGINE LINE-UP

Power Range




Series	Models	Output [kW]							Gear	Dimensions [mm]										
		Engine Speed [min ⁻¹] * 850min ⁻¹																		
		620	750	800	900	1350	1450	1500		A	A1	A2	A3	B	C	D	E	F	G	
6EY17W	6EY17W				374				YXH-500	2908	2410	2154	615	1305	1813	620	682	349	1300	
					480			YXH-500L	3091	794			862				429			
					590			YXH-500	2908	615			1882		682		349			
						749	837	YXH-500L	3091	794			862		429					
6EY22AW	6EY22AW			736					YX-1000	4574	3647	2965	1488	1548	2326	666	885	435	1922	
								YX-1000C	4687	1601			450				-			
				885					YX-1000	4574			1488	1618	2416		885	435		
								YX-1000C	4687	1601			450				-			
				1030					YX-1000	4603			1517	885	435					
								YX-1000C	4636	1550			450	-						
					1180				YXH-2000	4810			1807	1145	590					
					1330				YXH-2000C	4960			1957	555	-					
6EY26W	6EY26W								YXH-2000M	5702	4271	3563	1882	1804	3112	842	1145	590	1900	
								YXH-2000MC	5880	2322			555				-			
								YXH-2000	5483	1882			1145				590			
								YXH-2000C	5601	2070			555				-			
								YXH-2500M	5710	1890			1145				590			
								YXH-2500MC	5880	2320			555				-			
				1620				YXH-2500	5491	1890			1145				590			
				1920				YXH-2500C	5601	2070			555				-			
8EY26W	8EY26W								YX-3500M	6912	5090	5022	1890	2085	3257	842	1427	777	1900	
								YX-3500MC	7481	2459			730				80			
								YX-3500	6836	1814			3542		1127	1427	777			
								YX-3500C	6898	1876			2845		430	730	80			
								YX-3500M	6925	1903			3257		842	1427	777			
								YX-3500MC	7494	2472						730	80			
				2360					YX-3500	6849			1827		3542	1127	1427	777		
				2560					YX-3500C	6911			1889		2845	430	730	80		
6EY33W	6EY33W			2500					-	-	5700	4520	-	2335	3695	1025	-	-	2372	
				2750																
				3100																
				3360																
8EY33W	8EY33W			3600						-	-	7125	5585	-	2555	4040	1025	-	-	2372
				4000																
				4500																
6N21AW	6N21A-DW			662					Y-850	3920	2776	2733	1158	1420	2081	601	814	359	1802	
							YC-850	4051	1289	455			-							
	6N21A-UW			736				YX-1000	4053	1199			885				435			
							YX-1000C	4086	1232	450			-							
	6N21A-SW			883				YX-1000	4059	1205			885				435			
	6N21A-EW			956				YX-1000C	4092	1238			450				-			

MARINE PROPULSION DIESEL ENGINE

6EY17W

■ Power : 374~837kW




Engine Model		6EY17W				
No. of Cylinders		6				
Cylinder Bore×Stroke [mm]		170×230				
Rated Output [kW(PS)]		374(508)	480(653)	590(802)	749(1018)	837(1138)
Engine Speed [min ⁻¹]		1350				1450
Dry Weight [kg]		3880				
Propeller Type		for F.P.P.				
Marine Gear Model	Offset	YXH-500				
		YXH-500L				
Reduction Gear Ratio (Ahead)	Offset	2.53, 3.04, 3.48				
		3.57, 4.07, 4.48, 4.96				
Marine Gear Dry Weight [kg]	Offset	700				
		1667				
Total Dry Weight with Marine Gear [kg]	Offset	4580				
		5547				

MARINE PROPULSION DIESEL ENGINE

6EY22AW

■ Power : 736~1370kW




Engine Model	6EY22AW					
No. of Cylinders	6					
Cylinder Bore×Stroke [mm]	220×320					
Rated Output [kW(PS)]	736 (1000)	885 (1203)	1030 (1400)	1180 (1604)	1330 (1808)	1370 (1863)
Engine Speed [min ⁻¹]	800	850		900		
Dry Weight [kg]	10000					
Propeller Type	for F.P.P.					
Marine Gear Model	Offset	YX-1000			YXH-2000	
	Co-Axial	YX-1000C			YXH-2000C	
Reduction Gear Ratio (Ahead)	Offset	2.03, 2.36, 2.78, 3.32			2.23, 2.58, 2.79, 3.03	
	Co-Axial	2.03, 2.36, 2.78, 3.32			2.23, 2.58, 2.79, 3.03	
Marine Gear Dry Weight [kg]	Offset	2400			4750	
	Co-Axial	2565			5050	
Total Dry Weight with Marine Gear [kg]	Offset	12505	12556	14861		
	Co-Axial	12670	12721	15161		

MARINE PROPULSION DIESEL ENGINE

6EY26W

■ Power : 1471~1920kW




Engine Model	6EY26W						
No. of Cylinders	6						
Cylinder Bore×Stroke [mm]	260×385						
Rated Output [kW(PS)]	1471 (2000)		1620 (2203)		1920 (2610)		
Engine Speed [min ⁻¹]	750						
Dry Weight [kg]	18500						
Propeller Type		for C.P.P.	for F.P.P.	for C.P.P.	for F.P.P.	for C.P.P.	for F.P.P.
Marine Gear Model	Offset	YXH-2000M	YXH-2000	YXH-2500M	YXH-2500	YXH-2500M	YXH-2500
	Co-Axial	YXH-2000MC	YXH-2000C	YXH-2500MC	YXH-2500C	YXH-2500MC	YXH-2500C
Reduction Gear Ratio (Ahead)	Offset	2.23, 2.58, 2.79, 3.03					
	Co-Axial	2.23, 2.58, 2.79, 3.03					
Marine Gear Dry Weight [kg]	Offset	3900	4750	3950	4800	3950	4800
	Co-Axial	4300	5050	4400	5150	4400	5150
Total Dry Weight with Marine Gear [kg]	Offset	22549	23349	22640	23490	22640	23490
	Co-Axial	22949	23649	23090	23840	23090	23840

This Photograph Shows Model 6EY26 [IMO Tier I]

MARINE PROPULSION DIESEL ENGINE

8EY26W

■ Power : 2060~2560kW



Engine Model		8EY26W							
No. of Cylinders		8							
Cylinder Bore×Stroke [mm]		260×385							
Rated Output [kW(PS)]		2060(2801)		2210(3005)		2360(3209)		2560(3481)	
Engine Speed [min ⁻¹]		750							
Dry Weight [kg]		24500							
Propeller Type		for C.P.P.	for F.P.P.	for C.P.P.	for F.P.P.	for C.P.P.	for F.P.P.	for C.P.P.	for F.P.P.
Marine Gear Model	Offset	YX-3500M	YX-3500	YX-3500M	YX-3500	YX-3500M	YX-3500	YX-3500M	YX-3500
	Co-Axial	YX-3500MC	YX-3500C	YX-3500MC	YX-3500C	YX-3500MC	YX-3500C	YX-3500MC	YX-3500C
Reduction Gear Ratio (Ahead)	Offset	2.55, 2.80, 3.09, 3.31							
	Co-Axial	2.31, 2.54, 2.80, 3.00							
Marine Gear Dry Weight [kg]	Offset	8700	9400	8700	9400	8700	9400	8700	9400
	Co-Axial	8400	9100	8400	9100	8400	9100	8400	9100
Total Dry Weight with Marine Gear [kg]	Offset	33428	34128	33428	34128	33485	34185	33485	34185
	Co-Axial	33128	33828	33128	33828	33185	33885	33185	33885

MARINE PROPULSION DIESEL ENGINE

6EY33W

■ Power : 2500~3360kW



Engine Model	6EY33W			
No. of Cylinders	6			
Cylinder Bore×Stroke [mm]	330×440			
Rated Output [kW(PS)]	2500(3399)	2750(3739)	3100(4215)	3360(4568)
Engine Speed [min ⁻¹]	750			
Dry Weight [kg]	39100			
Propeller Type	-			
Marine Gear Model	Offset	-		
	Co-Axial	-		
Reduction Gear Ratio (Ahead)	Offset	-		
	Co-Axial	-		
Marine Gear Dry Weight [kg]	Offset	-		
	Co-Axial	-		
Total Dry Weight with Marine Gear [kg]	Offset	-		
	Co-Axial	-		

MARINE PROPULSION DIESEL ENGINE

8EY33W

■ Power : 3600~4500kW




Engine Model	8EY33W		
No. of Cylinders	8		
Cylinder Bore×Stroke [mm]	330×440		
Rated Output [kW(PS)]	3600(4895)	4000(5438)	4500(6118)
Engine Speed [min ⁻¹]	750		
Dry Weight [kg]	50900		
Propeller Type	-		
Marine Gear Model	Offset	-	
	Co-Axial	-	
Reduction Gear Ratio (Ahead)	Offset	-	
	Co-Axial	-	
Marine Gear Dry Weight [kg]	Offset	-	
	Co-Axial	-	
Total Dry Weight with Marine Gear [kg]	Offset	-	
	Co-Axial	-	

This Photograph Shows Model 6EY33W


MARINE PROPULSION DIESEL ENGINE

6N21AW

■ Power : 662~956kW




Engine Model	6N21A-DW		6N21A-UW		6N21A-SW		6N21A-EW	
No. of Cylinders	6							
Cylinder Bore×Stroke [mm]	210×290							
Rated Output [kW(PS)]	662(900)		736(1000)		883(1200)		956(1300)	
Engine Speed [min ⁻¹]	800				850			
Dry Weight [kg]	8000							
Propeller Type	for F.P.P.							
Marine Gear Model	Offset	Y-850		YX-1000				
	Co-Axial	YC-850		YX-1000C				
Reduction Gear Ratio (Ahead)	Offset	1.84, 2.07, 2.35, 2.68		2.03, 2.36, 2.78, 3.32				
	Co-Axial	1.84, 2.07, 2.35, 2.68		2.03, 2.36, 2.78, 3.32				
Marine Gear Dry Weight [kg]	Offset	2050		2400				
	Co-Axial	2150		2565				
Total Dry Weight with Marine Gear [kg]	Offset	10128		10478		10494		
	Co-Axial	10228		10643		10659		




MARINE AUXILIARY DIESEL ENGINE LINE-UP

Generator Capacity

Fuel Oil : M.D.O / H.F.O (up to 700mm²/s / 50°C)




Series	Models	Output [kW]					Dimensions [mm]								
		Engine Speed [min ⁻¹]													
		720	750	900	1000	1200	A	A2	B	C	D	E	F	G	
6NY16LW	6NY16L-HW				200	265	3097	1972	1265	1813	2530	940	800	1983	
	6NY16L-DW				245	310	3097								
	6NY16L-UW				270	355	3117								
	6NY16L-SW				310	400	3112								
	6NY16L-EW				353	441	3172								
6N165LW	6N165L-UW				353	441	3182	1982	1341	1999	2700	990	800	2105	
	6N165L-SW				353		3332	2012	1557		2800				
					397	485			1341						
		6N165L-EW				397									1557
6EY18LW	6EY18LW	400~615							4441	2751	1493	2255	3620	1070	915
6EY18ALW	6EY18ALW			455~615			4391	2751	1489	2255	3620	1070	915	2564	
				660~800			4680				3720				
6EY22LW	6EY22LW	660~1080					5452	3337	1678	2630	4120	1180	985	2907	
6EY22ALW	6EY22ALW			880~1370				5647	3337	1782	2675	4310	1180	985	2907
6EY26LW	6EY26LW	1400~1620					6474	3974	1847	3520	5270	1420	1250	3150	
		1730~1840					6774								
8EY26LW	8EY26LW	1900~2130					8258	5290	2030	3665	6720	1420	1250	3150	
		2245					8358				6800				
		2450					8418				6840				
6EY33LW	6EY33LW	2400~3600					8950	5280	2355	3895	7130	1780	1370	3742	
8EY33LW	8EY33LW	4000~4800					10640	6655	2555	4470	7950	1780	1620	3992	

The dimensions for the diesel engine generator sets are simply reference values. The values may differ for different generator manufacturers.

MARINE AUXILIARY DIESEL ENGINE

6NY16LW

- Generator Capacity : 180~400kWe




Engine Model	6NY16L-HW		6NY16L-DW		6NY16L-UW		6NY16L-SW		6NY16L-EW	
No. of Cylinders	6									
Cylinder Bore×Stroke [mm]	160×200									
Rated Output [kW(PS)]	200 (272)	265 (360)	245 (333)	310 (421)	270 (367)	355 (483)	310 (421)	400 (544)	353 (480)	441 (600)
Generator Capacity [kWe]	180	240	220	280	240	320	280	360	320	400
Engine Speed [min ⁻¹]	1000	1200	1000	1200	1000	1200	1000	1200	1000	1200
Dry Weight [kg]	2880									
Total Weight (Gen. Set) [kg]	5870									

MARINE AUXILIARY DIESEL ENGINE

6N165LW

- Generator Capacity : 320~480kWe




Engine Model	6N165L-UW		6N165L-SW			6N165L-EW		
No. of Cylinders	6							
Cylinder Bore×Stroke [mm]	165×232							
Rated Output [kW(PS)]	353 (480)	441 (600)	353 (480)	397 (540)	485 (660)	397 (540)	441 (600)	530 (720)
Generator Capacity [kWe]	320	400	320	360	450	360	400	480
Engine Speed [min ⁻¹]	1000	1200	900	1000	1200	900	1000	1200
Dry Weight [kg]	4100							
Total Weight (Gen. Set) [kg]	6410		7160					

• 1000min⁻¹ : for MDO Application Only. • 900min⁻¹ : for HFO Application Only. This Photograph Shows Model 6N165L [IMO Tier I]

MARINE AUXILIARY DIESEL ENGINE

6EY18[A]LW

- Generator Capacity : 360~750kWe



Engine Model	6EY18LW					6EY18ALW							
No. of Cylinders	6												
Cylinder Bore×Stroke [mm]	180×280												
Rated Output [kW(PS)]	400 (544)	450 (612)	500 (680)	550 (748)	615 (836)	455 (619)	500 (680)	550 (748)	615 (836)	660 (897)	680 (925)	745 (1013)	800 (1088)
Generator Capacity [kWe]	360	400	450	500	560	400	450	500	560	600	620	680	750
Engine Speed [min ⁻¹]	720/750					900/1000							
Dry Weight [kg]	6600												
Total Weight (Gen. Set) [kg]	11200										12100		

MARINE AUXILIARY DIESEL ENGINE

6EY22[A]LW

- Generator Capacity : 600~1300kWe



Engine Model	6EY22LW						6EY22ALW							
No. of Cylinders	6													
Cylinder Bore×Stroke [mm]	220×320													
Rated Output [kW(PS)]	660 (897)	745 (1013)	800 (1088)	880 (1197)	970 (1319)	1080 (1468)	880 (1197)	970 (1319)	1020 (1387)	1100 (1496)	1180 (1604)	1300 (1768)	1370 (1863)	
Generator Capacity [kWe]	600	680	740	800	900	1020	800	900	950	1000	1100	1200	1300	
Engine Speed [min ⁻¹]	720/750						900/1000							
Dry Weight [kg]	11200						10500							
Total Weight (Gen. Set) [kg]	18500						18100							

MARINE AUXILIARY DIESEL ENGINE

6EY26LW

- Generator Capacity : 1300~1720kWe



Engine Model	6EY26LW			
No. of Cylinders	6			
Cylinder Bore×Stroke [mm]	260×385			
Rated Output [kW(PS)]	1400 (1903)	1620 (2203)	1730 (2352)	1840 (2502)
Generator Capacity [kWe]	1300	1500	1600	1720
Engine Speed [min ⁻¹]	720/750			
Dry Weight [kg]	18500			
Total Weight (Gen. Set) [kg]	29800		30600	

MARINE AUXILIARY DIESEL ENGINE

8EY26LW

- Generator Capacity : 1800~2300kWe




Engine Model	8EY26LW				
No. of Cylinders	8				
Cylinder Bore×Stroke [mm]	260×385				
Rated Output [kW(PS)]	1900 (2583)	2030 (2760)	2130 (2896)	2245 (3052)	2450 (3331)
Generator Capacity [kWe]	1800	1900	2000	2100	2300
Engine Speed [min ⁻¹]	720/750				
Dry Weight [kg]	24500				
Total Weight (Gen. Set) [kg]	40000			40200	45000

MARINE AUXILIARY DIESEL ENGINE

6EY33LW

- Generator Capacity : 2250~3400kWe




Engine Model	6EY33LW				
No. of Cylinders	6				
Cylinder Bore×Stroke [mm]	330×440				
Rated Output [kW(PS)]	2400 (3263)	2750 (3739)	3000 (4079)	3360 (4568)	3600 (4895)
Generator Capacity [kWe]	2250	2550	2800	3200	3400
Engine Speed [min ⁻¹]	720/750				
Dry Weight [kg]	38500				
Total Weight (Gen. Set) [kg]	63000				

MARINE AUXILIARY DIESEL ENGINE

8EY33LW

- Generator Capacity : 3750~4600kWe



Engine Model	8EY33LW		
No. of Cylinders	8		
Cylinder Bore×Stroke [mm]	330×440		
Rated Output [kW(PS)]	4000 (5438)	4500 (6118)	4800 (6526)
Generator Capacity [kWe]	3750	4300	4600
Engine Speed [min ⁻¹]	720/750		
Dry Weight [kg]	50900		
Total Weight (Gen. Set) [kg]	90200		

POWER SOLUTION BUSINESS AMAGASAKI PLANT

Amagasaki factory started in 1936 as world's first factory to produce small sized diesel engines. Today, the factory mass produces large-sized diesel engines for marine and generator use, and also produces diesel and gas engines for land use and general power source. From 1983, the factory also produces gas turbines, and continues to produce high quality products ever since.



Highly quality and efficient production system

Amagasaki factory uses its unique, high performance devices and advanced machines for automatic and laborsaving operation. Furthermore, a suitable order-entry system matching each product is applied and controlled with an accurate quality management system. Therefore, we are able to produce highly reliable products to customers. YANMAR is the only company that produces the entire engine integrally within one factory.



Certifications of 11 major shipping classification societies

11 major ship certifications

The Amagasaki Plant has been certified by the world's 11 major ship classification societies. Its voluntary inspection program was certified by the 11 ship classification societies for the first time in the world

- NK** [Nippon Kaiji Kyokai]

ABS [American Bureau of Shipping]

LR [Lloyd's Register of Shipping]

DNV [Det Norske Veritas]

RINA [Registro Italiano Navale]

BV [Bureau Veritas]
- KR** [Korean Register of Shipping]

CCS [China Classification Society]

GL [Germanischer Lloyd]

IRS [Indian Register of Shipping]

RS [Russian Maritime Register of Shipping]



Research and development with advanced technology

YANMAR continues to research and develop environmental-friendly technology in a higher degree, such as developing cleaner emission gas, low fuel consumption, and less vibration and noise, based on our unique engine technology.



★1) ISO 9001: International Quality Control System Standard of the International Standardization Organization, (Certification No. 912208)
★2) ISO 14001: International Environmental Management System Standard of the International Standardization Organization, (Certification No. 770250)

Internationally Certified Quality Control and Environmental Response

In July 1992, Power Solution Business was certified under ISO 9001*1 by a certification authority in England, Lloyd's Register Quality Assurance Limited (LRQA). And in June 1997 under ISO 14001*2 for the first time as a plant producing large land and marine diesel engines. In addition, we also met IMO emissions control regulations (with NOx emission values) (Tier I in 2000 and Tier II in 2011) for the first time as a Japanese engine manufacturer. Our advanced technological capabilities for environmental conservation are highly recognized worldwide.

HISTORY

- 1912**
 - Founded as Yamaoka Hatsudoki Kosakusho.

1936
 - Founded as Yamaoka Nainenki (internal combustion engine) Company Ltd. with 3 million yen on a 40,000m² site in Nagasu Oda-mura, Kawabe-gun, Hyogo Pref. Manufactured diesel engines together with Yamaoka Hatsudohki Kosakusho (engine mfg.) Co., Ltd.

1952
 - Name changed to Yanmar Diesel Engine Co., Ltd.

1968
 - Awarded Deming Prize for pursuing distinguished quality control.

1978
 - Plant certified by ABS (American Bureau of Shipping) and LR (Lloyd's Register of Shipping), becoming the first plant in Japan to be so honored by the major ship classification organizations of Japan, U.K. and U.S.A., the major marine transportation countries of the world.

1984
 - Plant certified by NV (Det Norske Veritas).

1991
 - Production level of large-sized engines reached 100,000 units.
 - Plant certified by RINA (Registro Italiano Navale).

1992
 - Certified by LRQA (Lloyd's Register Quality Assurance) for ISO9001 Quality Assurance System.

1997
 - Certified under ISO14001 (International Standard for Environmental Management System) by LRQA in June, first among Japanese engine manufacturers.

1998
 - Three series of Yanmar marine engines certified first in Japan by IMO (International Maritime Organization) for complying with its NOx emissions in regulations.

1999
 - Our new products of diesel engine " SAVETEN " series which advance of low NOx and low fuel oil consumption are on the commercial.

2002
 - The Name of the company changed to YANMAR Co., Ltd.

2005
 - Received supervision for approved factories by BV (Bureau Veritas).

2006
 - The Large Power Products Operations Business celebrated its 70th anniversary.
-
- 2007**
 - Completion of the Amagasaki Plant Development Laboratory, aimed at strengthening emissions standards and systems for developing new products as well as strengthening systems for producing large-sized products.

2008
 - Received supervision for approved factories by KR (Korean Register of Shipping).

2009
 - Received supervision for approved factories by CCS (China Classification Society).
 - The 6EY18 engine model received a certificate from IMO (International Maritime Organization) for NOx Tier II standards that will be applicable from 2011, making Yanmar the first domestic ship engine manufacturer to receive the certificate.
 - Received a designation for approved factories by GL (Germanischer Lloyd).

2010
 - Released Model 6EY22.

2012
 - YANMAR celebrated the 100th anniversary of its founding.
 - Received a designation for approved factories by IRS (Indian Register of Shipping).
 - Released Model 6EY17.


2013
 - Received a designation for approved factories by RS (Russian Maritime Register of Shipping).

2014
 - Released Model 6EYG26L.

2015
 - Released Model 6EY33.
 - Released SCR for Model 6EY26.

2016
 - Released Model 6EY26DF
-
-
-
-
-
-
- 14
- 15

WORLDWIDE SERVICE NETWORK



EUROPE

NETHERLANDS COUNTRY CODE " 31 "

A YANMAR EUROPE B.V. (YEU)
Brugplein 11, 1332 BS Almere-de Vaart,The Netherlands
TEL: 36-5493200 FAX: 36-5493209
WEB: yanmar.eu/

■ NICOVERKEN HOLLAND B.V.
Algerastraat 20, 3125 BS Schiedam, The Netherlands
TEL: 10-2380999 FAX: 10-2380990
E-MAIL: shiprepair@nicoverken.nl
WEB: www.nicoverken.nl

■ FUJI TRADING (MARINE) B.V.
Kortenoord 2-8 3087 AR Rotterdam, The Netherlands
TEL: 10-429-8833 FAX: 10-429-5227

GREECE COUNTRY CODE " 30 "

a YANMAR ENGINEERING CO.,LTD. GREECE LIAISON OFFICE
5th FL.,130 Sygrou Avenue., Athens, Greece
TEL: 210-922-2481 FAX: 210-922-2484
E-MAIL: yanmargr@tee.gr / yanmar@weboffice.gr

U.K. COUNTRY CODE " 44 "

■ SHIPAIID DIESEL SERVICES LTD
Units, 1&2, Plot 10, Westminster Trading Estate,
Westminster Road, North Hykeham, Lincoln, LN6 3QY, U.K.
TEL: 1522-696642 FAX: 1522-695153

GERMANY COUNTRY CODE " 49 "

■ NIPPON DIESEL SERVICE
Herman-Blohm-Strasse 1 D-20457 Hamburg, Germany
TEL: 40-3177100 FAX: 40-311598

ICELAND COUNTRY CODE " 354 "

■ MARAS E.H.F
Akralind 2 201 Kópavogur Iceland
TEL: 555-6444 FAX: 565-7230
E-MAIL: maras@maras.is

RUSSIA COUNTRY CODE " 7 "

■ ELITE INTERCONTINENTAL SHIPPING
1 Gapsalskaya 709, Area Code 198035, St.Petersburg ,Russia
TEL: 911-916-9495(24/7)/812-680-1713
FAX: 812-680-1702
E-MAIL: yanmar@elit-engine.ru
WEB: www.elit-engine.ru

SPAIN COUNTRY CODE " 34 "

■ SKANDIAVERKEN, S.L.
Pol. Torrelarragoiti Parcela P7M, Pabellón 1 y 2, 48170
Zamudio Bizkaia Spain
TEL: 94-452-0816 FAX: 94-452-0510
E-MAIL: skv@skvbermeo.com

TURKEY COUNTRY CODE " 90 "

■ SAKURA MARINE DENİZ ENDÜSTRİSİ VE DIŞ TIC.LTD.ŞTİ.
İstanbul Deri OSB, Kazlıçeşme Cad. No.22 X-5
Tuzla, İstanbul, Türkiye
TEL: +90 21-6494-4923
E-MAIL: info@sakura-marine.com
WEB: www.sakura-marine.com

MIDDLE EAST

U.A.E. COUNTRY CODE " 971 "

b YANMAR ENGINEERING CO., LTD. DUBAI LIAISON OFFICE
Gold&Diamond Park, Manufacturing Office 3006,
Ground Floor Building-3, Sheikh Zayed Road
P.O. Box 214831, Dubai, U.A.E.
TEL: 4-341-8787 FAX: 4-341-8778
E-MAIL: ymrdubai@eim.ae

■ ALBWARDY MARINE ENGINEERING (L.L.C)
Al Jadaf Ship Docking Yard P.O.Box 6515, Dubai, U.A.E.
TEL: 4-324-1001, 324-1561 FAX: 4-324-1005
WEB: www.albwardymarine.com

■ GOLTENS CO. LTD. DUBAI BRANCH
Al Jadaf Ship Docking Yard P.O. Box 2811, Dubai, U.A.E.
TEL: 4-324-1642 FAX: 4-324-1963
WEB: www.goltens.com

ARAB REPUBLIC OF EGYPT COUNTRY CODE " 20 "

■ MAPSO
P.O. Box 2643, 44 Industrial Area,
Cairo/Ismailia Desert Road, Cairo, Egypt
TEL: 2-2962777 FAX: 2-2962780
E-MAIL: mapso@soficom.com.eg

■ MAPSO-ALEXANDRIA OFFICE
5 Ahmed Orabi Street Alexandria, Egypt
TEL: 3-487-3453 FAX: 3-487-3486

AFRICA

SOUTH AFRICA COUNTRY CODE " 27 "

■ SEASCAPE MARINE SERVICES (PTY) LTD.
124 Service Road Marine Drive Paarden Eiland 7405,
P.O. Box 63 Paarden Eiland 7420 South Africa
TEL: 21-511-8201 FAX: 21-510-6947

OCEANIA

AUSTRALIA COUNTRY CODE " 61 "

■ FOGACS CAIRNCROSS DOCKYARD PTY LTD.
Thynne Road, Morningside, Brisbane,
Queensland, Australia 4170
TEL: 7-322-70856 FAX: 7-3399-6164

■ WATERSIDE ENGINEERING PTY LTD.
48-50 Export Drive, Brooklyn 3025, Victoria Australia
TEL: 3-9314-3722 FAX: 3-9314-3799
E-MAIL: waterside@waterside-eng.com

■ JAITCO
10199 Kurraba Road, Neutral Bay, N.S.W. 2089, Australia
TEL: +81-89-956-8927 FAX: +81-89-956-8927

■ JAPAN MARINE ENGINEERING CO.,LTD
475 Warrigal Road Moorabbin Victoria Australia 3189
TEL: 3-9555-5277 FAX: 3-9555-5344
E-MAIL: sales@jmeaust.com.au

PAPUA NEW GUINEA COUNTRY CODE " 675 "

■ LUTHERAN SHIPPING
P.O. Box 1459 Lae, Papua New Guinea
TEL: 42-6190 FAX: 42-5806
TELEX: NE 44172

ASIA

JAPAN COUNTRY CODE " 81 "

■ YANMAR CO., LTD.
■ YANMAR (HEAD OFFICE)
YANMAR FLYING-Y BUILDING, 1-32,
Chayamachi, Kita-ku, Osaka, 530-8311, Japan
WEB: yanmar.com
■ YANMAR (TOKYO) OVERSEAS SALES DIVISION
2-1-1, Yaesu, Chuo-ku, Tokyo, 104-8486, Japan
TEL: 3-3275-4909 FAX: 3-3275-4969
■ YANMAR (AMAGASAKI PLANT)
1-1-1, Nagasu Higashidori, Amagasaki,
Hyogo, 660-8585, Japan
■ QUALITY ASSURANCE DEPT.
TEL: 6-6489-8017 FAX: 6-6488-4009

■ YANMAR ENGINEERING CO., LTD.
■ YANMAR ENGINEERING (HEAD OFFICE)
1-1-1, Nagasu Higashidori, Amagasaki,
Hyogo, 660-8585, Japan
TEL: 6-6489-8045 FAX: 6-6489-8075
WEB: www.yanmar.co.jp/ye/
■ OVERSEAS ENGINEERING DIVISION.
TEL: 6-6489-8048 FAX: 6-6481-6101

CHINA COUNTRY CODE " 86 "

■ YANMAR ENGINE (SHANGHAI) CO., LTD.
10F, E-Block POLY PLAZA, No.18 Dongfang Road,
Pudong Shanghai, China P.R.C 200120
TEL: 21-6880-5090 FAX: 21-6880-8090
WEB: yanmar.com/cn/

■ GOLTENS SHANGHAI CO., LTD
Block No.5, No.533 Yuanzhong Road,
Nanhui Industrial Zone, Nanhui District, Shanghai, China
TEL: 21-58186628 FAX: 021-58186633
E-mail: shanghai@goltens.com

■ TIANJIN PORT TUG-BOAT & LIGHTER COMPANY / YANMAR ENGINE SERVICE CENTER
No.383 Yongtai Road, Tanggu District, Tianjin, China
TEL: 22-2570-7510 FAX: 22-2570-7510

■ DALIAN WANFANG MARINE TECHNOLOGY CO., LTD
No.40 Aixian Street, Qixianling,
Dalian High-Tech Industrial Zone, China
TEL: 411-84799000 FAX: 411-84795678
E-mail: wlf@china-wf.com

■ ZHOUSHAN IMC-YY SHIPYARD & ENGINEERING CO., LTD.
28, Mazhi West Road, Shenjiamen, Putuo,
Zhoushan, China, 316100
TEL: 580-3690896/3690518/3690577/3690882
FAX: 580-3690580
WEB: www.imc-yy.com

INDIA COUNTRY CODE " 91 "

■ YANMAR INDIA PRIVATE LIMITED
707 Real Tech Park, Sector 30/A, Vashi, Navi Mumbai,
Pin: 400 703, Maharashtra
TEL: +91-22-2781 0975

■ IND-AUST MARITIME PVT LTD.
C-6/2, T.T.C, M.I.D.C. Pawane, Turbhe, Navi Mumbai
400 705, Maharashtra, India
TEL: 22-2763-3178 FAX: 22-2789-2529

SINGAPORE COUNTRY CODE " 65 "

■ YANMAR ASIA (SINGAPORE) CORP. PTE. LTD. (YASC)
4 Tuas Lane, Singapore 638613
TEL: 6595-4200 FAX: 6862-5189
WEB: yanmar.com/sg/

■ CHONG LEE LEONG SENG CO., (PTE) LTD.
23 Tuas Avenue 2, Singapore 639454
TEL: 6264-2922 FAX: 6861-8785

HONG KONG COUNTRY CODE " 852 "

■ YANMAR ENGINEERING (HK) CO., LTD.
RoomJ, 23/F, King Palace Plaza 55
King Yip Street Kwun Tong Kow loon Hong Kong
TEL: 2833-9032 FAX: 2904-7783
E-MAIL: yanmarhk@yanmarhk.com.hk

■ CISTAR TECH HK LTD
3/F., 81 Hing Wah Street West Lai Chi Kok, Kowloon
Hong Kong, China
TEL: 2775-0161 FAX: 2772-6054
E-MAIL: info@cistarhk.com
WEB: www.cistarhk.com

PHILIPPINES COUNTRY CODE " 63 "

■ YANMAR ENGINEERING CO., LTD. PHILIPPINES LIAISON OFFICE
Bldg 3, Berthaphil South, Bayanihan St.,
Jose Abad Santos Avenue,
Clark Freeport Zone 2023 Pampanga Philippines.
TEL: 45-499-1541/1542 FAX: 45-499-1543

■ SEAPOWERS TRADING & INDUSTRIAL SERVICES
316-A Mamatid Cabuyao, Laguna, Philippines
TEL: 917-500-3017 FAX: 49-502-0765
E-MAIL: seapowers@pltdsl.net

TAIWAN COUNTRY CODE " 886 "

■ YANMAR ENGINEERING CO., LTD. TAIWAN BRANCH
No.56, Yungangjung 2 Rd., Chienchen Dist, Kaohsiung, Taiwan
TEL: 7-815-4198 FAX: 7-815-3280
E-MAIL: yanmar-service@umail.hinet.net

■ YANMAR ENGINEERING CO., LTD. TAIWAN BRANCH TAIPEI SATELLITE OFFICE
R/M8, 9F, No.142, Sec3, Minquan E. Rd., Songshan Dist.
Taipei City 104, Taiwan R.O.C.
TEL: 2-8712-3150/3151 FAX: 2-8712-3107
E-MAIL: yanmar-service@umail.hinet.net

■ YEE FOO MARINE INDUSTRIAL CO., LTD.
6F-3, No.369 Fusing North Road,Taipei, Taiwan R.O.C. 105
TEL: 2-8712-0848 FAX: 2-8712-0797

■ SEIKOH CO., LTD.
No.56, Yungang Jung 2 Rd., Chien Chen Dist. Kaohsiung, Taiwan
TEL: 7-831-2303 FAX: 7-882-3911

KOREA COUNTRY CODE " 82 "

■ HWA ILL TRADING CO., LTD.
#93, 2-GA, Namhang Dong, Young Do-Ku, Busan, Korea
TEL: 51-412-6385 FAX: 51-414-8752
E-MAIL: hwail@hwail.co.kr

■ PLUS SERVICE CO.
Room 3806, Centum Leaders Mark B/D, 1514 U-Dong,
Haeundae-gu, Busan, 612-889, Korea
TEL: 51-745-8200-1 FAX: 51-745-8203
E-MAIL: plusbusan@hanafos.com

■ CHIBA MARINE KOREA CO., LTD.
1-90, Chunghak-Dong, Yeongdo-gu, Busan, Korea
TEL: 51-418-8998 FAX: 51-418-5880
E-MAIL: chibako@korea.com

MALAYSIA COUNTRY CODE " 60 "

■ PANSAR COMPANY., SDN BHD
Wisma Pansar 23-27 Workshop Road 96007
Sibu Sarawak, Malaysia
TEL: 84-333366 FAX: 84-314555

■ CHONG LEE LEONG SENG ENTERPRISE SDN BHD
Lot 530, Persiaran Subang Permai Sg. Penaga
Industrial Park, USJ 1 47500
Subang Jaya Selangor Darul Ehsan, Malaysia
TEL: 3-5632-1577 FAX: 3-5632-3126

THAILAND COUNTRY CODE " 66 "

■ STAR MARINE ENGINEERING CO., LTD
2 / 5 M11 Tumbol Bangphueng Phrapradaeng,
Samutprakarn, Thailand 10130
TEL: 2-816-8001 FAX: 2-463-2616
E-MAIL: info@starmarineeng.com

MYANMAR COUNTRY CODE " 95 "

■ UMG MYANMAR
No.589, Bo Aung Kyaw Street,
Yangon-Pathein Highway Road,
Hlaing Thar Yar Township, Yangon, Myanmar
TEL: 1-645178 FAX: 1-645211
E-MAIL: sale-div@winstrategic.com.mm

■ UNITED ENGINEERING CO., LTD
UE Office Complex
UE Building : Corner of Wayzayantar & Yadanar Rd,
Thingangyun Tsp, Yangon, Myanmar
TEL: 1-571321 FAX: 1-571288
WEB: www.united-engineering.net

INDONESIA COUNTRY CODE " 62 "

■ YANMAR JAKARTA SERVICE CENTER C/O P.T. PIONEER
Jalan Ir. H. Juanda, No.40-42 Jakarta 10120, Indonesia
(P.O. Box 2502-Jakarta 10025)
TEL: 21-385-8526 FAX: 21-384-8995

■ P.T. PIONEER
Jalan Ir. H. Juanda, No.40-42 Jakarta 10120, Indonesia
(P.O. Box 2502-Jakarta 10025)
TEL: 21-344-8486 FAX: 21-384-8995

NORTH AMERICA

U.S.A. COUNTRY CODE " 1 "

■ YANMAR AMERICA CORP. (YA) GEORGIA OFFICE
101 International Parkway, Adairsville, GA 30103, U.S.A.
TEL: 770-877-9894 FAX: 770-877-9009
WEB: yanmar.com/global/

■ YANMAR AMERICA CORPORATION. NEW YORK BRANCH
Parker Plaza 16F, 400
Kelby Street, Fort Lee, NJ 07024 U.S.A.
TEL: 201-592-8500

■ MARINE TURBO & DIESEL INC.
1090 7th Street Richmond, Ca 94801, U.S.A.
TEL: 510-236-3525 FAX: 519-236-3576

■ GOLTENS NEW YORK CORP.
160 Van Brunt Street, Brooklyn, NY 11231, U.S.A.
TEL: 718-855-7200 FAX: 718-802-1147

■ GOLTENS MIAMI CO. INC.
2323 N.E.Miami Court - Miami, Florida 33137 U.S.A.
TEL: 305-576-4410 FAX: 305-576-3827

■ TRANSMARINE PROPULSION SYSTEM, INC
5434 West Crenshaw Tampa, Florida, 33634 U.S.A.
TEL: 813-830-9180 FAX: 813-830-9181

■ UNITED WORLD ENTERPRISE, INC
6310 Winfree Houston, Texas 77087 U.S.A.
TEL: 713-641-1915 FAX: 713-641-2717

SOUTH AMERICA

BRAZIL COUNTRY CODE " 55 "

■ METALOCK BRASIL LTDA
Rua Visconde do Rio Branco 20/26,
11013-030, Santos, SP, Brazil
TEL: 13-3226-4686 FAX: 13-3226-4680
E-MAIL: santos@metalock.com.br
WEB: www.metalock.com.br

■ NAPROSERVICE OFFSHORE ESTALEIROS DO BRASIL LTDA
Rua Del. Waldir Guilherme, 32 - Ilha da Conceicao - Niteroi
RJ - Brasil - Zip: 24050-170
TEL: 21-2109-1800 FAX: 21-2109-1812/1814
E-MAIL: napro@naproservice.com.br
WEB: www.naproservice.com.br

NOTES

YANMAR CO., LTD.

- Power Solution Business
- Overseas Sales Division

2-1-1, Yaesu, Chuo-ku, Tokyo, 104-8486, Japan

TEL: 3-3275-4909 FAX: 3-3275-4969

yanmar.com

YANMAR AMERICA CORP. HEAD OFFICE

101 International Parkway, Adairsville, GA 30103, U.S.A.

TEL: 770-877-9894 FAX: 770-877-9009

yanmar.com/global/

YANMAR EUROPE B.V.

Brugplein 11, 1332 BS Almere-de Vaart, The Netherlands

TEL: 36-5493200 FAX: 36-5493209

yanmar.eu/

YANMAR ASIA (SINGAPORE) CORP.PTE.LTD. (YASC)

4 Tuas Lane, Singapore 638613

TEL: 6595-4200 FAX: 6862-5189

yanmar.com.sg/

YANMAR ENGINE (SHANGHAI) CO., LTD.

10F, E-Block POLY PLAZA, No.18 Dongfang Road,

Pudong Shanghai, China P.R.C 200120

TEL: 21-6880-5090 FAX: 21-6880-8090

yanmar.com/cn/